

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
39	BRS	0	Chen-BoSu.in. and @pd>20030629	USPAT; US-PGPUB; EPO; JPO	2004/07/27 10:23		
40	BRS	1	Chen-Bo-Su.in. and @pd>20030629	USPAT; US-PGPUB; EPO; JPO	2004/07/27 10:24		
41	BRS	4	Chen-B.in. and light and @pd>20030629	DERWENT	2004/07/27 10:25		
			((torque twist\$3 rotat\$3) near5 (optical\$2 light illumination laser LED VCSEL)) near5 (code\$1 coding encode\$1 barcode mark\$3) near5 (reflect\$3 transmitted transmissive) and @pd>20030629	USPAT; US-PGPUB	2004/07/27 10:29		
42	BRS	11		USPAT; US-PGPUB	2004/07/27 10:29		
			((torque twist\$3 rotat\$3) near5 (optical\$2 light illumination laser LED VCSEL)) near5 (code\$1 coding encode\$1 barcode mark\$3) near5 (reflect\$3 transmitted transmissive) and @pd>20030629	USPAT; US-PGPUB	2004/07/27 10:34		
43	BRS	4		USPAT; US-PGPUB	2004/07/27 10:34		
			((torque twist\$3 rotat\$3) near5 (optical\$2 light illumination laser LED VCSEL) near5 moire and @pd>20030629	USPAT; US-PGPUB	2004/07/27 10:37		
44	BRS	1		USPAT; US-PGPUB	2004/07/27 10:40		
45	BRS	3	((vertical adj cavity) VCSEL) near5 and @pd>20030629	USPAT; US-PGPUB	2004/07/27 10:40		

	Errors
39	0
40	0
41	0
42	0
43	0
44	0
45	0

Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
46	BRS 353	(73/862.321.cc1s. 235/454.cc1s. 235/494.cc1s. 235/470.cc1s. 235/462.01.cc1s. 235/462.13.cc1s. 356/395.cc1s. 356/616.cc1s. 356/618.cc1s. 356/35.5.cc1s. 250/231.16.cc1s. 250/231.13.cc1s. 250/231.1.cc1s. 702/43.cc1s. 702/42.cc1s. 702/41.cc1s. 73/800.cc1s. 73/862.327.cc1s. 73/862.326.cc1s. 73/862.325.cc1s. 73/862.324.cc1s.) and @pd>20030629	USPAT; US-PGPUB	2004/07/27 10:46		
47	BRS 0	Chen-BoSu.in. and @pd>20040209	USPAT; US-PGPUB; EPO; JPO	2004/07/27 10:24		
48	BRS 1	Chen-Bo-Su.in. and @pd>20040209	USPAT; US-PGPUB; EPO; JPO	2004/07/27 10:24		
49	BRS 5	Chen-B.in. and light and @pd>20040209	DERWENT	2004/07/27 10:25		
50	BRS 11	((torque twist\$3 rotat\$3) near5 (optical\$2 light illumination laser LED VCSEL) near5 (code\$1 coding encode\$1 barcode mark\$3) near5 (reflect\$3 transmitted transmissive) and @pd>20040209	USPAT; US-PGPUB	2004/07/27 10:30		
51	BRS 3	((torque twist\$3 rotat\$3) near5 (optical\$2 light illumination laser LED VCSEL) near5 (code\$1 coding encode\$1 barcode mark\$3) near5 (reflect\$3 transmitted transmissive) and @pd>20040209	EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10:35		
52	BRS 2	(torque twist\$3 rotat\$3) near5 (optical\$2 light illumination laser LED VCSEL) near5 moire and @pd>20040209	USPAT; US-PGPUB	2004/07/27 10:37		

	Errors
46	0
47	0
48	0
49	0
50	0
51	0
52	0

	Type	Hits	Search Text	DBS	Time Stamp	Comments	Error Definition
53	BRS	6	(torque twist\$3 rotat\$3) near5 ((vertical adj cavity) VCSEL) and @pd>20040209	USPAT; US-PGPUB	2004/07/27 10:40		
54	BRS	306	(73/862.321.cc1s. 235/454.cc1s. 235/494.cc1s. 235/470.cc1s. 235/462.01.cc1s. 235/462.13.cc1s. 356/395.cc1s. 356/616.cc1s. 356/618.cc1s. 356/35.5.cc1s. 250/231.16.cc1s. 250/231.13.cc1s. 250/231.1.cc1s. 702/43.cc1s. 702/42.cc1s. 702/41.cc1s. 73/800.cc1s. 73/862.327.cc1s. 73/862.326.cc1s. 73/862.325.cc1s. 73/862.324.cc1s.) and @pd>20040209	USPAT; US-PGPUB	2004/07/27 10:47		

	Errors
53	0
54	0